Contents to volume 286

Inverse regulation of glucose transporter Glut4 and G-protein G_s mRNA expression in cardiac myocytes from insulin resistant rats (FEBS 09896) *S. Petersen, M. Russ, H. Reinauer, J. Eckel* 1

Photoreversible antigen–antibody reactions (FEBS 09900) *M. Harada, M. Sisido, J. Hirose, M. Nakanishi* 6

Keratinization is associated with the expression of a new protein related to the desmosomal cadherins DGII/III (FEBS 09901) *I.A. King, A.I. Magee, D.A. Rees, R.S. Buxton* 9

Osmoregulation in *Saccharomyces cerevisiae*: Studies on the osmotic induction of glycerol production and glycerol 3-phosphate dehydrogenase (NAD^+) (FEBS 09902) *L. André, A. Hemming, L. Adler* 13

Determination of the branch location of extra *N*-acetyllactosamine units in sialo N-linked tetraantennary oligosaccharides (FEBS 09903) *C.H. Hokke, J.P. Kamerling, G.W.K. van Dedem, J.F.G. Vliegenthart* 18

Chondroitinases release acetylcholinesterase from chick skeletal muscle (FEBS 09904) *J. Pérez-Tur, A. Barat, M. Ramos, G. Ramírez* 25

Functional differences in human neutrophils isolated pre- and post-prandially (FEBS 09905) *D.J. Uhlinger, D.N. Burnham, R.E. Mullins, J.R. Kalmar, C.W. Cutler, Roland, R. Arnold, J.D. Lambeth, A.H. Merrill, Jr* 28

The primary structure of the *Laburnum alpinum* seed lectin (FEBS 09906) *Y. Konami, K. Yamamoto, S. Toyoshima, T. Osawa* 33

Sphingosine inhibits attachment of murine Lewis lung carcinoma cells to laminin and type IV collagen (FEBS 09907) *J. Inokuchi, Y. Kumamoto, M. Jimbo, H. Shimeno, A. Nagamatsu* 39

Differential expression of $GABA_A$ receptor α-subunits in rat brain during development (FEBS 09909) *R.M. McKernan, P. Cox, N.P. Gillard, P. Whiting* 44

Shuffled domains in extracellular proteins (FEBS 09908) *P. Bork* 47

Cloning and sequencing the urocanase gene (hutU) from *Pseudomonas putida* (FEBS 09910) *M. Fessenmaier, R. Frank, J. Retey, C. Schubert* 55

Site-directed mutagenesis reveals the importance of disulfide bridges and aromatic residues for structure and proliferative activity of human Interleukin-4 (FEBS 09912) *N. Kruse, T. Lehrnbecher, W. Sebald* 58

Genes encoding peroxisomal enzymes are not necessarily assigned on the same chromosome of an *n*-alkane-utilizable yeast *Candida tropicalis* (FEBS 09914) *Y. Fukuda, H. Atomi, T. Kurihara, M. Hikida, M. Ueda, A. Tanaka* 61

Crystallization and preliminary X-ray diffraction data of the Fab fragment of a monoclonal antibody against apamin, a bee venom neurotoxin (FEBS 09915) *C. Devaux, M.-L. Defendini, P.M. Alzar, C. Abergel, C. Granier, J.C. Fontecilla-Camps* 64

Respiratory chain activity in tissues from patients (MELAS) with a point mutation of the mitochondrial genome [$tRNA^{Leu(UUR)}$] (FEBS 09916) *B. Obermaier-Kusser, I. Paetzke-Brunner, C. Enter, J. Müller-Höcker, S. Zierz, W. Ruitenbeek, K.-D. Gerbitz* 67

Evidence for a ribosome-associated thiol protease cleaving wheat germ methionyl-tRNA synthetase (FEBS 09917) *J. Archambault de Vencay, Y. Cenatiempo, R. Julien* 71

Direct demonstration of *enol*-oxaloacetate as an immediate product of malate oxidation by the mammalian succinate dehydrogenase (FEBS 09918) *M.V. Panchenko, A.D. Vinogradov* 76

Expression of the envelope antigen F1 of *Yersinia pestis* is mediated by the product of *caf1M* gene having homology with the chaperone protein PapD of *Escherichia coli* (FEBS 09919) *E.E. Galyov, A.V. Karlishev, T.V. Chernovskaya, D.A. Dolgikh, O.Yu. Smirnov, K.I. Volkovoy, V.M. Abramov, V.P. Zav'yalov* 79

Inhibition of HIV-reverse transcriptase activity by some phloroglucinol derivatives (FEBS 09920) *H. Nakane, M. Arisawa, A. Fujita, S. Koshimura, K. Ono* 83

Chlorophyll levels in the pigment-binding proteins of photosystem II: A study based on the chlorophyll to cytochrome ratio in different photosystem II preparations (FEBS 09921) *R. Barbato, H.L. Race, G. Friso, J. Barber* 86

The signal peptide of human preproendothelin-1 (FEBS 09922) *M.S. Fabbrini, B. Valsasina, G. Nitti, L. Benatti, A. Vitale* 91

Photoaffinity labeling of dog pancreas microsomes with 8-azido-ATP inhibits association of nascent preprolactin with the signal sequence receptor complex (FEBS 09923) *R. Zimmermann, M. Zimmermann, P. Mayinger, P. Klappa* 95

Autoregulatory control of actin synthesis in cultured rat hepatocytes (FEBS 09924) *K.H. Reuner, K. Schlegel, I. Just, K. Aktories, N. Katz* 100

The effect of glycosyl inositol-phosphate on cAMP production in isolated rat fat-cells is transduced by a pertussis toxin sensitive G-protein (FEBS 09925) *L. Martiny, K. Dib, B. Haye, C. Corrèze, C. Jacquemin, B. Lambert* 105

Stark effect in P700, the primary electron donor of Photosystem I (FEBS 09930) *S. Krawczyk, W. Maksymiec* 110

Sphingosine stimulates calcium mobilization in rat parotid acinar cells (FEBS 09926) *H. Sugiya, S. Furuyama* 113

Reconstitution of active sucrose transport in plant proteoliposomes (FEBS 09927) *Z.-S. Li, O. Gallet, C. Gaillard, R. Lemoine, S. Delrot* 117

Presence of an acyl carrier protein in NADH:ubiquinone oxidoreductase from bovine heart mitochondria (FEBS 09928) *M.J. Runswick, I.M. Fearnley, J.M. Skehel, J.E. Walker* 121

The phosphate recognition site of *Escherichia coli* maltodextrin phosphorylase (FEBS 09929) *R. Schinzel, P. Drueckes* 125

Cyanobacteria contain a mitochrondrial complex I-homologous NADH-dehydrogenase (FEBS 09931) *S. Berger, U. Ellersiek, K. Steinmüller* 129

The two forms of the pituitary adenylate cyclase activating polypeptide (PACAP (1–27) and PACAP (1–38)) interact with distinct receptors on rat pancreatic AR 4-2J cell membranes (FEBS 09932) *P. Robberecht, M.-C. Woussen-Colle, P. De Neef, P. Gourlet, L. Buscail, André Vandermeers, M.-C. Vandermeers-Piret, J. Christophe* 133

Human recombinant interleukin-1 receptor antagonist inhibits lymphocyte blastogenesis induced by concanavalin A: Restorative effect of hrIL-1 (FEBS 09933) *P. Conti, M. Reale, M.R. Panara, R.C. Barbacane, M. Bongrazio, R.A. Dempsey* 137

Comparative membrane locations and activities of human monoamine oxidases expressed in yeast (FEBS 09934) *P. Urban, J.K. Andersen, H.-P.P. Hsu, D. Pompon* 142

A mouse brain cDNA encodes a novel protein with the protein kinase C phosphorylation site domain common to MARCKS (FEBS 09935) *T. Umekage, K. Kato* 147

Paraoxonase prevents accumulation of lipoperoxides in low-density lipoprotein (FEBS 09936) *M.I. Mackness, S. Arrol, P.N. Durrington* 152

GroEL-related molecular chaperones are present in the cytosol of oat cells (FEBS 09937) *R. Grimm, V. Speth, A.A. Gatenby, E. Schäfer* 155

Contents to volume 286

Inverse regulation of glucose transporter Glut4 and G-protein G_s mRNA expression in cardiac myocytes from insulin resistant rats (FEBS 09896) *S. Petersen, M. Russ, H. Reinauer, J. Eckel* 1

Photoreversible antigen–antibody reactions (FEBS 09900) *M. Harada, M. Sisido, J. Hirose, M. Nakanishi* 6

Keratinization is associated with the expression of a new protein related to the desmosomal cadherins DGII/III (FEBS 09901) *I.A. King, A.I. Magee, D.A. Rees, R.S. Buxton* 9

Osmoregulation in *Saccharomyces cerevisiae*: Studies on the osmotic induction of glycerol production and glycerol 3-phosphate dehydrogenase (NAD^+) (FEBS 09902) *L. André, A. Hemming, L. Adler* 13

Determination of the branch location of extra *N*-acetyllactosamine units in sialo N-linked tetraantennary oligosaccharides (FEBS 09903) *C.H. Hokke, J.P. Kamerling, G.W.K. van Dedem, J.F.G. Vliegenthart* 18

Chondroitinases release acetylcholinesterase from chick skeletal muscle (FEBS 09904) *J. Pérez-Tur, A. Barat, M. Ramos, G. Ramírez* 25

Functional differences in human neutrophils isolated pre- and post-prandially (FEBS 09905) *D.J. Uhlinger, D.N. Burnham, R.E. Mullins, J.R. Kalmar, C.W. Cutler, Roland, R. Arnold, J.D. Lambeth, A.H. Merrill, Jr* 28

The primary structure of the *Laburnum alpinum* seed lectin (FEBS 09906) *Y. Konami, K. Yamamoto, S. Toyoshima, T. Osawa* 33

Sphingosine inhibits attachment of murine Lewis lung carcinoma cells to laminin and type IV collagen (FEBS 09907) *J. Inokuchi, Y. Kumamoto, M. Jimbo, H. Shimeno, A. Nagamatsu* 39

Differential expression of $GABA_A$ receptor α-subunits in rat brain during development (FEBS 09909) *R.M. McKernan, P. Cox, N.P. Gillard, P. Whiting* 44

Shuffled domains in extracellular proteins (FEBS 09908) *P. Bork* 47

Cloning and sequencing the urocanase gene (hutU) from *Pseudomonas putida* (FEBS 09910) *M. Fessenmaier, R. Frank, J. Retey, C. Schubert* 55

Site-directed mutagenesis reveals the importance of disulfide bridges and aromatic residues for structure and proliferative activity of human Interleukin-4 (FEBS 09912) *N. Kruse, T. Lehrnbecher, W. Sebald* 58

Genes encoding peroxisomal enzymes are not necessarily assigned on the same chromosome of an *n*-alkane-utilizable yeast *Candida tropicalis* (FEBS 09914) *Y. Fukuda, H. Atomi, T. Kurihara, M. Hikida, M. Ueda, A. Tanaka* 61

Crystallization and preliminary X-ray diffraction data of the Fab fragment of a monoclonal antibody against apamin, a bee venom neurotoxin (FEBS 09915) *C. Devaux, M.-L. Defendini, P.M. Alzar, C. Abergel, C. Granier, J.C. Fontecilla-Camps* 64

Respiratory chain activity in tissues from patients (MELAS) with a point mutation of the mitochondrial genome [$tRNA^{Leu(UUR)}$] (FEBS 09916) *B. Obermaier-Kusser, I. Paetzke-Brunner, C. Enter, J. Müller-Höcker, S. Zierz, W. Ruitenbeek, K.-D. Gerbitz* 67

Evidence for a ribosome-associated thiol protease cleaving wheat germ methionyl-tRNA synthetase (FEBS 09917) *J. Archambault de Vencay, Y. Cenatiempo, R. Julien* 71

Direct demonstration of *enol*-oxaloacetate as an immediate product of malate oxidation by the mammalian succinate dehydrogenase (FEBS 09918) *M.V. Panchenko, A.D. Vinogradov* 76

Expression of the envelope antigen F1 of *Yersinia pestis* is mediated by the product of *caf1M* gene having homology with the chaperone protein PapD of *Escherichia coli* (FEBS 09919) *E.E. Galyov, A.V. Karlishev, T.V. Chernovskaya, D.A. Dolgikh, O.Yu. Smirnov, K.I. Volkovoy, V.M. Abramov, V.P. Zav'yalov* 79

Inhibition of HIV-reverse transcriptase activity by some phloroglucinol derivatives (FEBS 09920) *H. Nakane, M. Arisawa, A. Fujita, S. Koshimura, K. Ono* 83

Chlorophyll levels in the pigment-binding proteins of photosystem II: A study based on the chlorophyll to cytochrome ratio in different photosystem II preparations (FEBS 09921) *R. Barbato, H.L. Race, G. Friso, J. Barber* 86

The signal peptide of human preproendothelin-1 (FEBS 09922) *M.S. Fabbrini, B. Valsasina, G. Nitti, L. Benatti, A. Vitale* 91

Photoaffinity labeling of dog pancreas microsomes with 8-azido-ATP inhibits association of nascent preprolactin with the signal sequence receptor complex (FEBS 09923) *R. Zimmermann, M. Zimmermann, P. Mayinger, P. Klappa* 95

Autoregulatory control of actin synthesis in cultured rat hepatocytes (FEBS 09924) *K.H. Reuner, K. Schlegel, I. Just, K. Aktories, N. Katz* 100

The effect of glycosyl inositol-phosphate on cAMP production in isolated rat fat-cells is transduced by a pertussis toxin sensitive G-protein (FEBS 09925) *L. Martiny, K. Dib, B. Haye, C. Corrèze, C. Jacquemin, B. Lambert* 105

Stark effect in P700, the primary electron donor of Photosystem I (FEBS 09930) *S. Krawczyk, W. Maksymiec* 110

Sphingosine stimulates calcium mobilization in rat parotid acinar cells (FEBS 09926) *H. Sugiya, S. Furuyama* 113

Reconstitution of active sucrose transport in plant proteoliposomes (FEBS 09927) *Z.-S. Li, O. Gallet, C. Gaillard, R. Lemoine, S. Delrot* 117

Presence of an acyl carrier protein in NADH:ubiquinone oxidoreductase from bovine heart mitochondria (FEBS 09928) *M.J. Runswick, I.M. Fearnley, J.M. Skehel, J.E. Walker* 121

The phosphate recognition site of *Escherichia coli* maltodextrin phosphorylase (FEBS 09929) *R. Schinzel, P. Drueckes* 125

Cyanobacteria contain a mitochrondrial complex I-homologous NADH-dehydrogenase (FEBS 09931) *S. Berger, U. Ellersiek, K. Steinmüller* 129

The two forms of the pituitary adenylate cyclase activating polypeptide (PACAP (1–27) and PACAP (1–38)) interact with distinct receptors on rat pancreatic AR 4-2J cell membranes (FEBS 09932) *P. Robberecht, M.-C. Woussen-Colle, P. De Neef, P. Gourlet, L. Buscail, André Vandermeers, M.-C. Vandermeers-Piret, J. Christophe* 133

Human recombinant interleukin-1 receptor antagonist inhibits lymphocyte blastogenesis induced by concanavalin A: Restorative effect of hrIL-1 (FEBS 09933) *P. Conti, M. Reale, M.R. Panara, R.C. Barbacane, M. Bongrazio, R.A. Dempsey* 137

Comparative membrane locations and activities of human monoamine oxidases expressed in yeast (FEBS 09934) *P. Urban, J.K. Andersen, H.-P.P. Hsu, D. Pompon* 142

A mouse brain cDNA encodes a novel protein with the protein kinase C phosphorylation site domain common to MARCKS (FEBS 09935) *T. Umekage, K. Kato* 147

Paraoxonase prevents accumulation of lipoperoxides in low-density lipoprotein (FEBS 09936) *M.I. Mackness, S. Arrol, P.N. Durrington* 152

GroEL-related molecular chaperones are present in the cytosol of oat cells (FEBS 09937) *R. Grimm, V. Speth, A.A. Gatenby, E. Schäfer* 155

Identification and nucleotide sequence determination of the gene responsible for Ogawa serotype specificity of *V. cholerae* 01 (FEBS 09939) *T. Ito, Y. Ohshita, K. Hiramatsu, T. Yokota* 159

Identification of a polypeptide bound to the β region of the mouse r protein L32 promoter (FEBS 09940) *T. Yoganathan, B.H. Sells* 163

Identification of a rat liver dipeptidyl aminopeptidase IV with a liver plasma membrane glycoprotein (gp110): A study using dipeptidyl aminopeptidase IV-deficient rats (FEBS 09941) *S. Iwaki-Egawa, Y. Watanabe, Y. Fujimoto* 167

Identification and partial characterisation of a low M_r collagen synthesised by bovine retinal pericytes: Apparent relationship to type X collagen (FEBS 09938) *A.E. Canfield, A.M. Schor* 171

Cysteinyl-tRNA synthetase is a direct descendant of the first-aminoacyl-tRNA synthetase (FEBS 09942) *J. Avalos, L.M. Corrochano, S. Brenner* 176

Isolation and nucleotide sequence of the extracellular acid protease gene (ACP) from the yeast *Candida tropicalis* (FEBS 09943) *G. Togni, D. Sanglard, R. Falchetto, M. Monod* 181

Effects of the lipase inhibitors, Triton WR-1339 and tetrahydrolipstatin, on the synthesis and secretion of lipids by rat hepatocytes (FEBS 09944) *D. Hermier, P. Hales, D.N. Brindley* 186

Primary structure of bovine cathepsin S: Comparison to cathepsins L, H, B and papain (FEBS 09945) *B. Wiederanders, D. Broemme, H. Kirschke, N. Kalkkinen, A. Rinne, T. Paquette, P. Toothman* 189

Molecular basis for different rates of recovery from inactivation in the *Shaker* potassium channel family (FEBS 09898) *R. Wittka, M. Stocker, G. Boheim, O. Pongs* 193

Chemical synthesis of 10 kDa chaperonin: Biological activity suggests chaperonins do not require other molecular chaperones (FEBS 09963) *P. Mascagni, M. Tonolo, H. Ball, M. Lim, R.J. Ellis, A. Coates* 201

Cloning, overexpression, purification and crystallisation of ribosomal protein L9 from *Bacillus stearothermophilus* (FEBS 09946) *C.E. Vorgias, A.J. Kingswell, Z. Dauter, K.S. Wilson* 204

The involvement of photosystem II-generated H_2O_2 in photoinhibition (FEBS 09947) *R.L. Bradley, K.M. Leng, W.D. Frasch* 209

Two α subunits of the G_q class of G proteins stimulate phosphoinositide phospholipase C-β1 activity (FEBS 09948) *S.J. Taylor, J.H. Exton* 214

Activation mechanism of rabbit skeletal muscle myosin light chain kinase: 5'-*p*-Fluorosulfonylbenzoyl adenosine as a probe of the MgATP-binding site of the calmodulin-bound and calmodulin-free enzyme (FEBS 09949) *P.J. Kennelly, J.C. Colburn, J. Lorenzen, A.M. Edelman, J.T. Stull, E.G. Krebs* 217

The binding of [^{3}H]R-PIA to A_1 adenosine receptors produces a conversion of the high- to the low-affinity state (FEBS 09950) *V. Casadó, J. Mallol, E.I. Canela, C. Lluis, R. Franco* 221

Autoimmune antigen Ku is enriched on oligonucleotide columns distinct from those containing the octamer binding protein DNA consensus sequence (FEBS 09951) *J.P. Quinn, A.R. Farina* 225

Changes in the kinetics of inositol transport during TPA-induced differentiation of HL60 cells towards monocytes (FEBS 09952) *G. Grafton, C.M. Bunce, M.C. Sheppard, G. Brown, M.A. Baxter* 229

Tryptase TL_2 in the membrane of human T4 lymphocytes is a novel binding protein of the V3 domain of HIV-1 envelope glycoprotein gp120 (FEBS 09953) *H. Kido, A. Fukutomi, N. Katunuma* 233

Corrigenda 237

Author Index to volume 286 239

Contents to volume 286 242